

Gorm Sørensen

# ProCal



## ProCal - Gorm Sørensen

Sandshagan 11  
Jessheim, N 2067

**Gorm Sørensen**

Telefon: +47 41 51 61 71

Epost: gorm@procal.no


ISF level II certified

THX level II video calibrator

## Lyd&Bilde LG 55EC930V

Telefon:

Epost:



## METER Klein Instruments K Series

Manufacturer: Klein Instruments  
Model: K-10  
Meter Serial: 00100004

## SOURCE AV Foundry VideoForge

Model: AV Foundry - VideoForge Classic (Ethernet @9021)  
Info: VideoForge software

## DISPLAY / PROCESSOR Direct Display Control

Model: None  
Type:  
Info1:

## CALIBRATION STANDARD

Nominal Signal Levels: True  
Luminance Response Model: PowerFunction  
Gamma: 2.2  
Color Space Target: D65, HD Rec.709

## Pre Calibration Settings

PictureMode: Expert 1  
ColorTemp: Warm 2  
Gamma: 2.2  
BackLight: 60  
Brightness: 50                      Contrast: 80  
Color: 50                              Tint: 0  
Sharpness: Min

### High

Red	Green	Blue
0	0	0

### Low

Red	Green	Blue
0	0	0

Pre-Calibration Notes: Dynamisk kontrast: Off  
Super oppløsning: Off  
Kantforbedring: Off  
Fargefilter: Off  
Fargerom: Standard

## Post Calibration Settings

Picture Mode: Expert 1  
ColorTemp: Warm 2  
Gamma: 2.2  
BackLight: 60  
Brightness: 53                      Contrast: 80  
Color: 46                              Tint: 0  
Sharpness: 0

### High

Red	Green	Blue
n/a	n/a	n/a

### Low

Red	Green	Blue
n/a	n/a	n/a


Post-Calibration Notes: Kalibrert minne: Expert 1

Dynamisk kontrast: Off  
Super oppløsning: Off  
Kantforbedring: Off  
Fargefilter: Off  
Fargerom: Standard  
Økomodus: Off

Kalibrert 2-punkt og 20-punkt gråskala  
Kalibrert fargerom CMS


## Pre Calibration Results

CollectionMax dE2000: 4.85






## Post Calibration Results

CollectionMax dE2000: 1.37



## Pre Calibration Results



## Post Calibration Results

